

LANDSCAPE IRRIGATION INFORMATION PACKET

As of **January 1, 2009** the irrigator must make application for an irrigation permit and submit two (2) sets of irrigation plans for review.

Permit Application Fee:

- Residential (Single Family/Two-Family/Townhome)
 Fee calculated by table found in Section30-13(a)
 Euless Code of Ordinances based on work valuation. Work valuation for residential systems will be calculated at \$1.00 per square foot of landscape to be irrigated.
- Commercial (All Commercial and Multi-Family) Fee calculated by table found in Section 30-13(b) Euless Code of Ordinances based on work valuation provided by cost estimates from the contracting installer.

Plan Review and Inspection Fee: \$100.00 (Paid at time of plan submittal)

The project may not be started before the completion of plan review and issuance of an irrigation permit. Every effort will be taken to complete the plan review within no more than five (5) business days. When the plan review is complete the City will notify the irrigator that the plans are ready and the irrigator may retrieve the plans and the permit.

Inspection requests must be made by 8:00pm the day prior to the inspection by calling the automated inspection phone number (817) 685-1634 and requesting and inspection. The irrigator may leave a voice message on the automated system requesting an approximate time with a two (2) hour window as to when the irrigation inspection may be made or the irrigator may simply wait upon the arrival of the inspector.

The following items shall apply to the irrigation inspection:

- All installations shall have copper or pex from yard line tie-in to backflow assembly. No compression fittings may be installed from yard line tie-in to backflow assembly.
- 2. All required valve boxes shall be installed; the lid of the valve box shall be left open until approved by the irrigation inspector.
- 3. Piping, valves, and all joints, including isolation, wye-strainer, and backflow preventer and master valve shall not be located within the right-of-way, shall be left uncovered from the point of connection to a point three (3') feet down stream from the master valve, and pressurized.
- 4. All wiring splices shall be left uncovered, or, if there are no splices, wiring may be covered to a point within three (3') feet of any valves. (See item 4).

- 5. All valves (zone and master valves) shall not be concealed for a space of three (3') feet up and down stream of the valve, including the piping connections to the valve.
- 6. The last emission device with the greatest developed length from the potable water source shall be left exposed for a distance of three (3') feet for inspection and testing.
- 7. In addition to verifying that the system meets all minimum requirements of the City of Euless and TCEQ Chapter 344 rules and the City of Euless irrigation ordinance, the irrigation inspector shall:
 - a. Verify the backflow prevention assembly has been tested and collect the Backflow Assembly test report. The backflow test report shall be given to the irrigation inspector. A final inspection may not be completed until verification of the receipt of the test report. If the backflow test report is not presented at the time of final inspection, a re-inspection fee may be assessed.
 - b. System walkthrough A licensed irrigator or his/her designated representative shall conduct an operational demonstration in the presence of the irrigation inspector. The operation demonstration shall include the operation of all stations contained within the irrigation system.
 - c. Any variances from the approved plan shall be reflected and indicated on the AS-BUILT plans in RED ink and show that they do not violate the ordinances of the City of Euless or TCEQ requirements.
 - d. Irrigators and irrigation contractors shall complete a Certificate of Completion form which will be given to the irrigation inspector prior to the issuance of a final inspection.
 - e. Acceptance of the installation of an irrigation system shall be identified by the issuance of a green tag.



CITY OF EULESS BUILDING INSPECTION STAFF

Staff Member	Title	Direct Phone Number	Email Address
Kurt Kasson Jim Moy Jeff Lee Richard Ross	Building Official Senior Inspector Inspector II Code Services Superv	817-685-1656 817-685-1640 817-685-1631 risor 817-685-1638	kkasson@eulesstx.gov jmoy@eulesstx.gov jlee@eulesstx.gov rross@eulesstx.gov
Deborah Howard	Permit Technician	817-685-1630	dhoward@eulesstx.gov

Building Inspections 201 N. Ector – Euless, Texas 76039 (817) 685-1630 – FAX (817) 685-1628 Building Inspections

IRRIGATION INSPECTION STANDARDS AS OF JANUARY 1, 2009

The Texas Legislature adopted **House Bill 1656** requiring the Texas Commission on Environmental Quality (TCEQ) to adopt rules for landscape irrigators for the purpose of conserving water.

TCEQ subsequently revised **Chapter 344 of the TEXAS ADMINISTRATIVE CODE** and now requires all new landscape irrigation systems and certain altered systems to comply with the new rules. The complete Chapter 344 is available at: http://www.tceq.state.tx.us/rules/index.html

Cities over 20,000 in population, including Euless, are required to enforce the minimum standards and specifications for designing, installing and operating irrigation systems in accordance with Section 1903.53 Occupations Code, and the rules adopted by the TCEQ under that section.

EFFECTIVE JANUARY 1, 2009

Policy:

- 1. A permit is required before installation or alteration of an irrigation system.
- 2. Plans shall be submitted with any permit application per Section 344.61 of the TCEQ rules. The City of Euless will review plans to verify all the required information is shown.
- 3. Permit Application Fee: (Fees Effective May 2010)
 - Residential (Single Family/Two-Family/Townhome) Fee calculated by table found in Section30-13(a) Euless Code of Ordinances based on work valuation. Work valuation for residential systems will be calculated at \$1.00 per square foot of landscape to be irrigated.
 - Commercial (All Commercial and Multi-Family) Fee calculated by table found in Section 30-13(b) Euless Code of Ordinances based on work valuation provided by cost estimates from the contracting installer.
- 4. Plan Review and Inspection Fee: \$100.00. This fee shall be paid at time of plan submittal.
- 5. Note: Rain and Freeze Sensors are required in all systems.
- **6. Post permit:** Permit shall remain posted in front window of property until the irrigation project is complete, paperwork has been filed, and final approval is granted by the irrigation inspector.
- 7. Prior to the final inspection of the system, the following must be submitted to the City of Euless through the irrigation inspector:
 - a. State required backflow prevention assembly test and maintenance report.
 - b. Copy of the final walk through check list signed by the irrigator and owner.
 - c. An as-built plan showing any changes from the original plan.
- 8. Final Inspection (Residential Systems) Upon the permit holder's request and receipt of items in number 6 above, the irrigation inspector will check the installation of the backflow protection and the rain/freeze sensors.
- **9. Final Inspection (Commercial Systems)** In addition to the requirements of the final inspection of Residential Systems, commercial systems will be inspected for compliance with the City of Euless landscape and zoning requirements.
- **10. Any violations** discovered due to complaints or due to other reasons will be investigated and called to the attention of the owner or manager of the property as well as the permit holder.
- 11. NOTE: Failure to obtain final inspection before permit expiration may result in revocation of your contractor registration.



IRRIGATION PLAN REQUIREMENTS

This information is required on all planset submittals. If this information is not provided within the planset then the information must be provided within this form.

Desci	ription I Two s	ets of irrigation plans	s with a 10 pt font	size on minimum 1°	1"X17" plan shee	et size.
	l Plan s	Plan scale identified:				
	l Irrigat	Irrigation Seal/Date/Signature:				
	0					
	0					
	l Prone					
	- · · · · · · · · · · · · · · · · · · ·					
Ш	□ North Arrow.					
	Legend indentifying all icons used within plan.					
	□ Stations/Emissions Devices identified:					
St	tation	Location	GPM	Туре	MFG	Quantity
1						
2						
3						
4 5 6 7						
<u></u>						
7						
8						
9						
9 10						
9 10 11						
9 10	l Contro	oller:				
9 10 11 12	Contro		ation	Type/MF	G	Size
9 10 11 12			ation	Type/MF	G	Size

Irrigation Plan Requirements Page 2

•		
☐ Sensor:		
Туре	Location	Type/MFG
Rain		
Freeze		
Backflow Prevention	eter e:	um)
☐ Manufactur	er	
Design Pressure □ PSI		
Valves ☐ Isolation (T ☐ Y-Strainer ☐ Master	en (10') feet from back of curb minim	um)
Pressure Regulator ☐Yes	Required (If applicable) □No	
	pe:	
	pe:	
Electrical Supplies		-
#	Information	and Location
1	information	
2		
3		
1		

FORM UPDATED 06/2010

5

6

BACKFLOW PREVENTION ASSEMBLY TEST AND MAINTENANCE REPORT

This form must be completed for each assembly tested. A signed and dated original must be submitted to the City of Euless for record keeping purposes.

NAME OF I PWS I.D.#:		220003	OF EULESS 31			
MAILING ADDRESS:						
				low has been tested ating within acceptable		required by
TYPE OF ASSEMBLY ☐ Reduced Pressure Principle ☐ Double Check Valve ☐ Pressure Vacuum Breaker		□ Reduced Pressure Principle-Detector□ Double Check-Detector□ Spill-Resistant Pressure Vacuum Breaker				
Model Num	anufacturer:Size: odel Number:Located at: erial Number:			_		
Is the asser	mbly installe	d in acco	ordance with manu	ufacturer recommenda	tions and/or local co	des?
	Reduced Pressure Principle Assembly Pressure Vacuum Breaker			uum Breaker		
			alve Assembly			
	1 st Che Held atp		2 nd Check Held atpsid	Relief Valve	Air Inlet	Check Valve
Initial Test	Closed Tight Leaked	t 🗆	Closed Tight ☐ Leaked ☐	Opened atpsid Did not open □	Opened atpsid Did not open □	Held atpsid Leaked □
Repairs and Materials Used						
Test after repair	Held atp Closed Tigh		Held atpsid Closed Tight □	Opened atpsid	Opened atpsid	Held atpsid
Test gauge used: Make/Model:SN:Date Tested for Accuracy						
Remarks:						
The above is certified to be true at the time of testing:						
Firm Name: Certified Tester(print)						
Firm Address Certified Tester (signature)			·			
Firm Phone Number Cert. Tester NoDate						
Firm Email	Addess					

*TEST RECORDS MUST BE KEPT FOR AT LEAST THREE YEARS
**USE ONLY MANUFACTURER'S REPLACEMENT PARTS

FORM UPDATED 06/2010



APPLICATION FOR LAWN SPRINKLER PERMIT (ALL SYSTEMS SHALL HAVE RAIN & FREEZE PROTECTION)

(BACKFLOW CERTIFICATION IS REQUIRED BEFORE INSPECTION)

Job address:				
Description of work:				
Contractor name:				
Address:				
City and state:	Zip:			
Phone:	State and license no:			
LAWN SPRINKLER SYSTEM				
Commercial System - Value of work: \$	(fee based on total value)			
Residential System – Total Square Footage Irrigated	(fee based on valuation of \$1.00 per sqft)			
that meet OSHA standards must be submitted. I hereby certify that the foregoing is complete and convil be done in conformance with the City of Euless possible SIGNED:				
OWNER OR CONTRACTOR	PRINT NAME CLEARLY			
FOR OF	FFICE USE ONLY			
Date Paid:	Permit #:			
Receipt #:	Date Entered:			
By:	By:			
Permit Fee:				
Comments to Print on Permit:				
FORM UPDATED 06/2010				